



APPROVED BY: _____
SIGN

DATE _____


DESIGN STANDARDS

ADAPTOR PLATES MEET API 8C - SEC 4.7/6.3.3/6.3.4/8.6/10.5 & ASME BTH-1-2017 SEC 3-3.3.2

VENDOR SUPPLIED CHAIN & HOOK ARE A CHAIN LIFTING SLING WHICH REQUIRE A DESIGN SAFETY FACTOR OF 4:1, MEETING REQUIREMENTS OF ASME B30.9, SEC 9-1.4



VIEW A-A



STANDARD WLL: 12500 LBF
HD WLL: 17000 LBF
PROOF TESTED TO 2 x WLL AND MPI AFTERWARDS

REV	DESCRIPTION	DATE	BY
0	NOT FOR CONSTRUCTION	30 SEP 2021	CDB

REVISION HISTORY

DO NOT SCALE DRAWING

VALUES IN INCHES UNLESS OTHERWISE NOTED.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.XXX ± 0.005 .XX ± 0.01 | .X ± 0.1 | ANG ± 0.5
GEOMETRIC DIMENSIONING & TOLERANCING
PER ANSI Y14.5M-1994



ESP LIFTING HOOK FOR RIG ELEVATORS, PULL TESTED & MPI INSPECTED		
TITLE:		
EXAMPLE DRAWING	0	1 OF 1
PARTNUMBER:	REV:	SHEET:

"PROPRIETARY RIGHTS ARE INCLUDED IN THE INFORMATION DISCLOSED HEREIN AND THIS DOCUMENT IS RELEASED TO AND ACCEPTED BY THE POSSESSOR ON THE CONDITION AND UNDERSTANDING THAT NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE REPRODUCED OR TRANSFERRED IN ANY MANNER OR USED OR DISCLOSED TO OTHERS FOR ANY PURPOSE, EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY DASCO."